

# PRODUKTKATALOG

CATALOG CATALOGUE CATÁLOGO



# EDITORIAL

## E D I T O R I A L

Dear customers,

We are delighted to present the completely revised version of our product catalogue. Above all it has been your suggestions and recommendations which have helped us to expand and improve it. Your feedback as opticians has always been very important for us. What is new is that we now focus on the electronic version and therefore we have decided not to provide a printed catalogue version anymore.

We hope you will be pleased with the result. The new structure of the catalogue is meant to help you find the information relevant to you and to provide you with the most important information at a glance.

As a customer-focussed company we are ready to note your wishes and suggestions for new product ideas and improvements.

Please feel free to contact us directly or write to us! Your feedback and the dialogue with you are essential for us!

Our reputation in the optical sector has been rising steadily over the last years. Please recommend us to others and tell your colleagues about us. Our products are designed to meet your specific needs and are based on the central ideas of quality, high reliability and efficient, useful solutions. Simply „Made in Germany“!

Kind regards from Hilden  
LUMOS GmbH



Managing Director



Manager Marketing



Air purification



Quality testing



Products for showroom and workshop



Sales tools



Subscriptions and offers



## AIR PURIFICATION

The best solution for fine dust and bad odors

With AIR, you can keep your workshop and sales room free of odors and dust. There's no more effective way to remove the heavy dust and odors that result from the grinding of today's innovative eyeglass materials.

Designed entirely for your needs, there are even two different sizes. The space-saving **AIR<sub>mini</sub>** can be built into a machine cabinet, while the **AIR<sub>maxi</sub>** is designed for connection to two machines. Both units have a great price/performance ratio and can be connected to nearly any grinding machine. Using these units is good for your health and good for the environment, too.

Small, compact, powerful

Easy to install

Cost-effective working material subscriptions






## AIR<sub>maxi</sub> by LUMOS

This particularly powerful air purification unit was designed for larger grinding workshops and connection to up to two machines. With its large filter capacity, the unit can also be used for air purification for the whole workshop. An integrated air quality unit also takes care of the metering of perfumes. Coarse dust is trapped directly in the dust trap. It's extremely simple operation and compact filter elements make it easy to work with.

Scope of delivery	Unit, dust trap, filter cartridge with coarse dust filter, odor scrubber cartridges, 2m of air hose (please select connector set separately)
Dimensions (W x H x D)	280 x 690 x 415 mm
Weight	11 kg
Power supply	230V / 50 Hz
Article number	001.404

Size difference between the **AIR<sub>mini</sub>** and **AIR<sub>maxi</sub>**



## AIR<sub>mini</sub> by LUMOS

Like its „big brother“, the **AIR<sub>mini</sub>** also removes odors and fine dust from the air in your optician's workshop that result from the grinding of High Index, CR39, PC, and Trivex. It takes in air directly from the grinder, preventing the escape of the contaminated air. The unit is so small, compact, and quiet that it can be installed right in the grinder cabinet.

**AIR<sub>mini</sub>** is designed for suction in an edger and is equipped with high-performance filter materials that remove over 90% of odors and fine dust. An integrated air quality unit allows the metering of perfumes. Here, too, the unit's extremely simple operation and compact filter elements make it easy to work with.

Scope of delivery	Unit, filter cartridge, filter pad set, odor scrubber cartridges, power supply, 1m of air hose (please select connector set separately)
Dimensions (W x H x D)	220 x 260 x 315 mm
Weight	3 kg
Power supply	230V / 50 Hz
Article number	001.549





# Accessories for **AIR<sub>maxi</sub>** and **AIR<sub>mini</sub>** by LUMOS

## Connector for two machines

### ► AIR<sub>maxi</sub>

Using this adapter, you can connect **AIR<sub>maxi</sub>** to two machines at once. The connector just screws onto the **AIR<sub>maxi</sub>**. Air hoses are used to connect to the machines.



Article number 000.294

## Connector set for 32 mm water drainage hose

### ► AIR<sub>maxi</sub> / AIR<sub>mini</sub>

The connector set for WECO and other machines with a 32 mm water drainage hose can be used together with a water box or direct water connection (DN40).



Article number 000.295

## Connector set for direct connection to NIDEK machines (LE9000/SE9090/ME1000)

### ► AIR<sub>maxi</sub> / AIR<sub>mini</sub>

This connector set was designed for direct connection to the grinding chamber of NIDEK machines (ME1000 and 9090).

The 9000 model also requires a special side plate.



Article number 001.300

## Connector set for 50/60/63/75 mm water drainage hose

### ► AIR<sub>maxi</sub> / AIR<sub>mini</sub>

This connector set was developed for machines with a 50, 60, 63 or 75 mm water drainage house and can be used together with a water box or direct water connection (DN70) such as those used on Schöne/INDO, TOPCON, NIDEK, or Briot grinders.



Article number 000.802

## Connector set for 100 mm water drainage hose

### ► AIR<sub>maxi</sub> / AIR<sub>mini</sub>

There's a connector set for machines with a 100 mm water drainage hose, too. It can be used together with a waterbox (Essilor „overflow basin“) or direct water connection (DN100) such as those used by Essilor or Briot.



Article number 001.006 (with cover plate overfall basin)  
001.800 (without cover plate)

### Filter cartridge

#### ► *AIR<sub>maxi</sub>*

This spacious, very robust filter cartridge can be replaced with just a few actions. Depending on usage conditions, the filter must be changed every 6 to 12 months. Just send the used filter cartridge back to us.

Article number	000.090	Scope of delivery	Filter cartridge with coarse dust filter
----------------	---------	-------------------	--



### Filter cartridge

#### ► *AIR<sub>mini</sub>*

The multi-stage compact filter is specially designed for use in optician's workshops. It removes and binds the dust and odors produced when grinding High Index and other glass materials. Depending on usage conditions, the filter must be replaced every 4 months or after 500 lenses, whichever is sooner. Use filter pads to get even better filter quality and a longer cartridge life.

Article number	000.521
----------------	---------



### Filter pads

#### ► *AIR<sub>mini</sub>*

Filter pads protect the main filter and should always be used when grinding on PC or Trivex grinders. Filter pads are made of high-efficiency filter material that can achieve very high separate rates even for lung-penetrating dust less than 10 µm in size. Depending on glass type, they should be replaced every week or after every 50 lenses, whichever is sooner.

Article number	000.865	Scope of delivery	10 filter pads
Article number	001.143	Scope of delivery	75 filter pads
Article number	000.857	Scope of delivery	Filter pad set (seal and 3 filter pads)



Filter pads

Filter pad set


### Odor cartridges

#### ► *AIR<sub>maxi</sub> / AIR<sub>mini</sub>*

Odor cartridges give the room air a particular tone. Using them, the AIR not only purifies the air, but also adds a little perfume. The Word odor cartridge is just inserted in the chamber, which also permits regulation of the perfume intensity. The perfume has a „floral“ motif.

Article number	000.205
----------------	---------





# QUALITY TESTING

Professional and precise – for the perfect eyeglasses

The perfect eyeglasses are always the result of precise, professional quality testing. Only when the entire glass grinding process – from refraction to testing of final results – has been carried out with particular precision and high quality can the perfect eyeglasses be achieved.


Timely testing of today's eyeglasses with high-quality glass varieties requires special tools in the workshop and in customer service. Q-CHECK was specifically developed for this application and makes it easy to check new and used glasses – precisely, quickly, and easily.

Centering test

Tension test

Surface test

Engraving detect





# Q•CHECK by LUMOS

The equipment in the Q-CHECK series are designed exclusively for use by quality-oriented opticians and grinding workshops. They permit the precise testing of finished, mounted eyeglasses before handing them to the customer and – just as importantly – the testing of pre-worn eyeglasses in customer service. Used consistently, these are the key to high quality standards and therefore to the perfect eyeglasses.

These compact units offer unique functionality and combine the following important tests into a single system:

**Centering test:** Q-CHECKplus can check eyeglasses with unifocal, bifocal, and even progressive lenses. For progressive lenses, direct centering can be tested based on the engraving, without time-consuming, error-prone marking – quickly, easily, and with high precision!


**Tension test:** Q-CHECKplus does high-quality testing on both lens at the same time, and the „Lab“ variant even uses high-sensitivity polarizing filters.

**Surface test:** Surface defects and layer discontinuities are clearly visible. Constant testing conditions lead to consistent test results. In the „Lab“ variant, this is particularly effective due to a light/dark field process using oblique light.

**Engraving detection and marking of progressive lenses:** Two different processes can be used to detect most engraving. This also makes it possible to mark the center point, for example when adjusting eyeglasses. This eliminates the need to search for the right template and prevents imprecise work.

	Q-CHECKplus	Q-CHECKlab
<b>Centering test</b>		
Unifocal lenses	●	
Bifocal lenses	●	
Progressive lenses	●	
<b>Tension test</b>		
normal sensitivity	●	
high-sensitivity		●
<b>Surface test</b>		
Engraving detection	●	●
Light/dark field (oblique light)		●
<b>Engraving detection / marking</b>		
Engraving detection	●	
Marking of progressive lenses	●	

## Q•CHECKplus by LUMOS




Scope of delivery	Unit with integrated control, scale plate, ocular
Dimensions	125 x 190 x 220 mm
Weight	1.3 kg
Power supply	230V / 50 Hz
Article number	001.393

## Q•CHECKlab by LUMOS



Scope of delivery	Unit with highly sensitive tension testing and quickly adjustable analyzer plate for surface testing using a light/dark field process
Dimensions	125 x 190 x 220 mm
Weight	1.3 kg
Power supply	230V / 50 Hz
Article number	001.625



## PRODUCTS for SALE and WORKSHOP

LUMOS has developed compact, powerful tools for optometrists which are specially designed to comply with the in part restricted spatial conditions in showrooms. Small and handy, they fit on the smallest adjusting table. Here you will find beautifully designed devices for engraving recognition, transmission measurement or simply for sales support.

The LUMOS professional test devices are perfectly suited for the workshop as well. The material and surface examination during incoming goods inspections and complaint processing can be done in accordance with the specified standards. Guarantee quality assurance in your workshop!


Transmission  
measurement

Surface examination

Engraving recognition

Goods Inspections

Sales support



## ENGRAVING RECOGNITION with the

# VISUALIZE

The **VISUALIZE** is the ideal tool for quickly and easily visualizing "hidden" engravings in eyeglass lenses. Beautifully designed, small and handy, it is suitable for use both on the sales floor and in the workshop. The **VISUALIZE** can be used for individual lenses as well as for complete pairs of glasses. The device is operated with conventional batteries and turns itself off automatically after 5 minutes of non-use to save energy. Alternatively the **VISUALIZE** can also be operated through the power supply.

**It's simple:** Just place the lens on the plating and align it. The lens can be held against the plating from above or from below. This enables optimal recognition of engravings on both the front and rear sides. This allows you to mark from both sides. Testing and marking preassembled glasses is also possible.

Scope of delivery	Device, including batteries
Dimensions (W x H x D; foot)	90 x 150 x 220 mm
Weight	about 0,200 kg
Power supply	7 V
Article number	002.200



## Accessories **VISUALIZE**

### Power supply

Suitable power supply for the VISUALIZE. The device is specially designed for this power supply. Please do not use any other power supply.

Dimensions (W x H x D)	50 x 80 x 50 mm
Weight	about 0,120 kg
Power supply	230 V / 50 Hz
Article number	002.229





# GRAVURENFINDER<sub>print</sub>


## Identification book for progressive lenses

With this identification book, you can keep an overview and identify all current micro engravings. You can quickly and easily identify progressive lenses without needing to use additional literature from a number of different glass manufacturers.

The GRAVURENFINDER provides a comprehensive, one-of-a-kind overview of the progressive lenses in use and their micro engravings.

Thousands of glasses are sorted by manufacturers, glass names, and engravings, helping you identify glasses quickly and easily.

It is the best reference work for anyone needing to identify glass by its engraving or wanting to calculate the centering data of a ground lens.



Item number	003.240
-------------	---------

Note:

You can also order the GRAVURENFINDER in a convenient subscription and then automatically receive a freshly printed copy once a year when the new print edition arrives.

[illegible]

### Example: Graphical index

[illegible]

### Example: Company information page



# GRAVURENFINDERonline

## Online portal for progressive lenses

The overview of micro engravings is always up to date on our online portal

[www.gravurenfinder.de](http://www.gravurenfinder.de)

Take a look!

Here you'll not only find all the glasses of the well-known brand-name manufacturers in the German-speaking region, but also quick contact information for the manufacturers and information about their new products.



## Note:

The use of the basic version of the online portal is free of charge for opticians, ophthalmologists, and the optical industry. You don't need to register.

Its use in a corporate Intranet requires the approval of the operator.



## AGAINST AXIS OFFSET WHEN GRINDING AND UNNECESSARY GLASS BREAKAGE

# GECKO<sub>lensgrip</sub>

You know the problem. There are always problems during grinding and mounting, especially of innovative, high-quality glasses with super smooth surface, because the glasses slip.

GECKO grip spray was specifically developed for use on glasses with hydrophobic and Cleancoat coatings to help prevent axis offset when grinding.

GECKO<sub>lensgrip</sub> forms an effective gripping bridge between the glass surface and the adhesive pad. It acts as an „anti-slip coating“ between the glass and the grinder. With GECKO, you can avoid unnecessary glass breakage due to slipping glasses.

The spray also acts as a protective film to ward off scratches and damage to the sensitive glass surface when handling.

The spray can be used on both the front and back side of the glass and can easily be removed again with conventional cleaning agents. GECKO<sub>lensgrip</sub> dries quickly and can be used very frugally.

Scope of delivery	100 ml spray can
Dimensions (W x H)	38 x 138 mm
Item number	001.724



### How to use:

- Spray glass briefly from a distance of about 25 cm. There should be small bubbles on the surface, but no film that covers the surface.
- Wait about a minute. A longer drying time will increase the gripping effect. Then block the glass as usual.
- The grip spray can be removed afterwards with isopropanol or spirits.
- When using a new can, spray a few times before use.
- Please follow the warning and safety instructions on the spray can.



## TRANSMISSION MEASUREMENT with

# OPTI•SCAN<sup>by LUMOS</sup>

The OPTI•SCAN permits the transmission measurement of glasses and lenses in visible and UV light ranges. Unlike other equipment, the OPTI•SCAN is specifically designed for use during sales presentation and during goods receiving inspection. It is small and compact and thus easy to store even in closer quarters. One particular advantage is that it is battery-operated – there's no cable to get in the way on the fitting table.

On the right side, the OPTI•SCAN measures transmission values in the UV range (320 - 400 nm). The visual range (400 - 700 nm) is measured on the left side. Both measurements are done simultaneously, so both figures are available immediately for a pair of eyeglasses. Of course, the unit can also measure individual lenses. In that case, the measurements are simply taken one after the other.

This allows you to make the quality and safety of your eyeglasses easy for the customer to understand.



Scope of delivery	Unit including batteries
Dimensions	110 x 130 x 120 mm
Weight	0,9 kg
Power supply	9 V
Item number	001.262

We can also ship the **OPTI•SCAN** as a special version with

- Another wavelength range, for example IR
- Adapted system or holding elements for your optics



## SALES TOOLS

for the fitting table, for promotional campaigns, and much more.

LUMOS has developed a wide variety of tools to make your sales talks a little easier every day. The focus is on sales tools that demonstrate the functions and advantages of polarizing lenses under extreme lighting conditions. In addition to large-format demonstrators for the show window, the particularly handy minis have been thoroughly tested for sales talks. And there's a little thank-you for the customers, too. Wait and see what it is!

LUMOS has developed eyeglass frames for daily use in demonstrating sample glasses: Our attractive, high-quality LUENETTES are very easy to fit lenses to, and are just as flexible in fitting as the lenses you sell.

For the company

For the show window

For the display case

For the fitting table

For the pants pocket





# POLADEMO<sub>maxi</sub>



POLADEMO generates a realistic glare in an everyday situation, with an easily interchangeable motif. The view through normal and polarizing lenses allows your customer to understand the advantages and features of polarizing lenses quickly and easily.

This large variant is particularly well-suited for use in show windows and display cases, drawing customers from outside into your store.

Scope of delivery	Frame, eyeglass set, „Road“ motif, advertising set, mirror
Dimensions (W x H x D)	400 x 300 mm (approx. DIN A3)
Item number	001.215

Size difference  
**POLADEMO<sub>maxi</sub>** –  
**POLADEMO<sub>mini</sub>**:



## Accessories and replacement parts

### Eyeglass set

A comparative view through normal and polarizing lenses can show a prospective customer the advantages of polarizing lenses right in the show window.



### Advertising set and mirror

This will draw even more attention to the POLADEMO<sub>maxi</sub> in the show window or display case. The mirror can be placed in front of the POLADEMO and, by reflecting the lighting, ensures a realistic glare effect from light sources above.



### Spot

This generates the realistic glare effect in the picture and must be ordered separately. You can also use your own spots.



Item number	001.060
-------------	---------

## Replacement motifs

► **POLADEMO**<sub>maxi</sub>

Without glare



Standard motif	„Road“
Item number	001.180

With glare



Without glare



Motif	„Ski“
Item number	001.181

With glare



Without glare



Motif	„Lake“
Item number	001.182

With glare



# POLADEMO<sub>mini</sub>



Convinces the customer of the advantages of polarizing eyeglasses. The unit has a very attractive design, has a large image despite its compact footprint, and is ideal for the sales talk with the customer.

The integrated lighting (battery-operated, on a timer) generates an impressive, natural-seeming effect. The motif can easily and quickly be changed.

Scope of delivery	Frame with lighting, „Road“ motif, batteries included, ready to operate removed
Dimensions (W x H x D; Foot)	210 x 180 x 60 mm (ca. DIN A5)
Item number	001.245

## Accessories and replacement parts

### Eyeglass set

One pair of polarizing lens sunglasses and one „normal“ pair – so the customer can experience the advantages with a direct comparison.

Item number 001.065



### Lunette for do-it-yourself lens placement

This eyeglass frame can be placed directly on the LED wires of the POLADEMO<sub>mini</sub> when not in use.

Item number 001.183



### Lighting

This high-power LED is turned on with a timer and automatically turned back off after about 5 minutes.

Item number 001.304



### Magnets (two)

A total of four magnets hold the motif on the picture holder, permitting the motif to be changed quickly and conveniently.

Item number 001.305



**Replacement motifs****► POLADEMO<sub>mini</sub>**

Without glare



Motif	"Lake"
Item number	001.195

With glare



Without glare



Motif	„Ski“
Item number	001.198

With glare



Without glare



Motif	„Surfer“
Item number	001.201

With glare



Without glare



Motif	"Shark"
Item number	001.205

With glare





With the POLTEST and UV-CARD products, you get the ideal promotional items for your marketing campaigns. Whether you use them as give-aways or in a mailing action, these little demonstrators make the features of polarizing lenses or the UV protection of high-quality eyeglasses obvious.

# POLTEST

Have you just sold your customer eyeglasses with polarizing lenses? Then make it easy for him or her to demonstrate how their eyeglasses work to friends, family, and acquaintances – doing your advertising for you. Believable and cost-effective!

You can also use the **POLTEST** very effectively in mailing actions.

**POLTEST** has a self-stick back, so you can even stick it into eyeglass cases, for example, or on the prescription card.

View through normal lenses



Example application



View through polarizing lens




Dimensions (W x H)	70 x 40 mm
Item number	001.788
Item name	POLTESTmaxi „Road“ motif


**POLTEST** comes in different sizes and with different motifs – tailored to your needs.

The minimum order quantity per item is 50 units each.

View through normal lenses



View through polarizing lenses



Dimensions (W x H)	64 x 64 mm
Item number	001.323
Item name	POLTESTmaxi „Fishing“ motif

View through normal lenses




View through polarizing lenses



Dimensions (W x H)	25 x 45 mm
Item number	001.443
Item name	POLTESTstamp „Sailboat“ motif



Dimensions (W x H)	25 x 45 mm
Item number	001.787
Item name	POLTESTstamp „Road“ motif



Dimensions (W x H)	25 x 45 mm
Item number	001.631
Item name	POLTESTstamp „Fishing“ motif

View through normal lenses



View through polarizing lenses



Or would you rather have your own custom solution, maybe your logo? If you want your own customer-specific motifs or dimensions, just ask us.

Dimensions (W x H)	65 mm
Item number	002.821
Item name	POLTESTround "Road" motif

# UV•CARD




Use the **UV-CARD** to demonstrate the UV protection of sunglass lenses. Simply hold the card, which is 86 x 54 mm (about 3-1/2" x 2") in size, in sunlight or under a UV lamp. Cover one eye with the lens glass and compare the coloration of the eyes.

Customers truly like these little give-aways, since they show the high quality of their new eyeglasses on the one hand and can also be used to make UV radiation (at the beach when sunbathing) visible. And at the same time, your customers will be advertising for you, cost-effectively and believably.

Dimensions (W x H)	86 x 54 mm		
Item number	001.631	Minimum order	50 units


And this is how the eyes change color without suitable UV protection:



Front side in original size – without UV radiation



Printable back



## FOR LENSMAKING WITH YOUR CHOICE OF SAMPLE GLASSES

# LUENETTE

You can fit lenses into these high-quality plastic eyeglass frame yourself. Your lenses come in a wide variety – and so are the fitting options for LUENETTE. Use the eyeglass frames

- For demonstrating polarizing lenses
- For sample and reading glass lenses
- Or for color filters
- For use with spherical lenses with refraction
- As a practical supplement to the products of our POLADEMO series.

Fit the frames with different glass designs in different add-ons. This lets your customers see the features of the glasses with their own eyes, so they can decide on the best solution more easily.

The frames are made of two-sided satinized, translucent acrylic glass. With their clear, beautiful design, they are also resistant to scratches and signs of wear.

At a minimum order quantity of 1.000 units and up, you can also order LUENETTE in your preferred colors to match your store and corporate design!



Standard color			
Color	White snow - white	Item number	001.183

Special colors			
Color	Graphite – dark grey	Item number	002.552
	Mandarin - orange		002.553
	Strawberry - red		002.554

### Rack for 5 eyeglass frames

Also made of high-quality satinized acrylic glass, this rack allows you to present 5 frames ready for use. Several racks can be placed behind or next to one another in a space-saving manner, providing even more organized storage for your sample glasses.

Dimensions (W x H x D)	200 x 6 x 125 mm
Item number	002.563







## SUBSCRIPTIONS and OFFERS

To make reordering the working materials you need as easy as possible and offer them to you at the lowest cost possible, we offer certain consumables, working materials, and also the **GRAVURENFINDER** as convenient subscriptions. You place the order once, and we deliver as long as you still need them, guaranteed on time and reliable.

Our equipment is just as good as your treatment of it. Only regular replacement of filter cartridges and filter pads can guarantee full performance of the **AIR**.

And so you never slip when grinding lenses and because nobody ever remembers to reorder the grip spray until it's too late, you can also subscribe to **GECKOlensgrip**.

Cost savings

No forgetting to reorder  
supplies

Automatic Delivery



# AIRmini working materials

## SUBSCRIPTION

For the **AIRmini** you can order the working materials you need in a 24-month subscription.


### The advantage to you:

You will receive a delivery automatically ever 4 months (a total of 6 times), without having to think about re-ordering. And you save nearly 25% over the list price. So it's really cost-effective!

Each delivery includes:

- 1 filter cartridge
- 2 packages of 10 filter pads each
- 2 packages of 5 odor scrubber cartridges each

Item number ABO.001



**You save nearly 25%!**

### Note:

A new subscription placed on or after January 1, 2011 has a period of 2 years, and will be automatically extended by another 12 months if not canceled 12 months in advance.

## SAVINGS PACKAGE without SUBSCRIPTION

If you don't want a long-term commitment, you can also get the AIR working materials savings package without a subscription. You still save about 20% over individual orders.

The savings package contains:

- 2 filter cartridges
- 2 packages of 10 filter pads each

Item number 001.784



**You save over 20%!**

# AIRmaxi working materials

## SUBSCRIPTION

For the **AIRmaxi** you can order the working materials you need in a 24-month subscription.

### The advantage to you:

You will receive a delivery automatically ever 4 months (a total of 6 times), without having to think about reordering. And you save nearly 24% over the list price. So it's really cost-effective!

Each delivery includes:


- 1 filter cartridge
- 1 filter

Artikelnummer	ABO.002
---------------	---------


**You save nearly 24%!**

### Note:

A new subscription placed on or after January 1, 2011 has a period of 2 years, and will be automatically extended by another 12 months if not canceled 12 months in advance.



Filter cartridge with filter



Filter cartridge without filter

# GRAVURENFINDER<sub>print</sub>

## SUBSCRIPTION

Take advantage of a yearly subscription. You'll get the current edition of the **GRAVURENFINDER<sub>print</sub>** sent automatically once a year. You save 25% over the list price, you're always up to date, and you'll have a complete overview of the field.

The **GRAVURENFINDER** is the definitive book for progressive lenses.

It provides a comprehensive, one-of-a-kind overview of the progressive lenses available in the German-speaking regions and their micro engravings.

Thousands of glasses are sorted by manufacturers, glass names, and engravings, helping you identify glasses quickly and easily.

**You save over 25%!**

### Note:

A new subscription has a period of 3 years, and will be automatically extended by another 12 months if not canceled 12 months in advance.


Item number	ABO.005
-------------	---------



## CONTENTS



Graphical index



Content page



Company information page



# GECKOlensgrip

## SUBSCRIPTION

You can also order **GECKOlensgrip** in a convenient 24-month subscription.

### The advantage to you:

Every four months (a total of 6 times) you'll get two 100 ml cans of protective grip spray for optical glasses. You save nearly 27

% over the list price, without having to remember to reorder.

Item number	ABO.005
-------------	---------

**You save nearly 27%!**

### Note:

A new subscription placed on or after January 1, 2011 has a period of 2 years, and will be automatically extended by another 12 months if not canceled 12 months in advance.



### How to use:

Just one squirt helps prevent axis offset during grinding. The film applied also works to protect the sensitive glass surface. **GECKOlensgrip** is quick and easy to use. It was specifically developed for use with hydrophobic and Cleancoat coatings. The spray is very cost-effective to use and can be removed again with conventional cleaning agents.





LUMOS GmbH

[info@lumos-optics.de](mailto:info@lumos-optics.de)  
[www.lumos-shop.de](http://www.lumos-shop.de)

© LUMOS GmbH, Hilden, 2015-10

Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, vorbehalten. Jede Art der Vervielfältigung, auch auszugsweise, nur mit Genehmigung der LUMOS GmbH gestattet.

All rights of utilisation, in whatever form, are reserved. All kind of copies, even in extracts, only allowed with the permission of LUMOS GmbH.

Tous droits d'exploitation réservés, sous quelque forme et par quelque procédé que ce soit. Toute reproduction, même partielle, n'est autorisée qu'avec l'accord de LUMOS GmbH.

Se reserva el ejercicio exclusivo de los derechos de explotación en cualquier form. Queda prohibida la reproducción total o parcial del contenido de este manual sin la autorización por escrito de LUMOS GmbH.